ATTACHMENT E MONITORING WELL REGISTRATION FORMS

LOUISIANA DEPARTMENT OF NATURAL RESOURCES OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION

Louisiana Dept. of Natural Resources Attn: Ground Water Resources

P.O. Box 94275

MAIL ORIGINAL TO:

Baton Rouge, LA 70804-9275 (225) 342-8244 Ph. (225) 242-3505 Fax

WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S)

H

5

4

'n

S

1

9

	8. DRILL (Descri	DRILLER'S LOG (Description and color of	DRILLER'S LOG (Description and color of cuttings, such as shale, sand, etc. in feet below ground surface)
□ Domestic Rig Supply ⊠Monitoring □ Piezometer □ Recovery □ Heat Pump Hole □ □ Heat Pump Supply	FROM	2	DESCRIPTION
Abandoned Pilot Hole	0	9	Silty clay, stiff, reddish brown
WELL OWNER: William Poe and Associates, Inc.	9	18	Silty sand, orange to red, loose
Phone: (225) 275-2152	18	20	Sand, coarse with gravel
WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA	20	28	Sandy silt, (wet at 21 ft bgs)
70809	28	30	Silty clay
OWNER'S WELL NUMBER OR NAME: MW-1			
Serial Number (Rig Supply Only): NA			
WELL INFORMATION:			
Date completed: 08/18/2015			
Depth of Hole: 30 ft. below ground surface	9. FOR H	EAT PUMP ON	FOR HEAT PUMP ONLY: Avg. Depth: NA ft. # of Holes: NA
Depth of Well: 29.5 ft.	10 DOES	THE NEW WEI	10 DOES THE NEW WELL BEDLACE AN EXISTING WELL?
Static water level: 22.92 ft. below ground surface	70.00	100	
	11. NAME	OF PERSON W	11. NAME OF PERSON WHO DRILLED THE WELL:
	7	ony Gaudet (De	Lony Gaudet (Devonian Group)
Screen: 2_in.	Pagulations	of the State o	Leerly) man mis work was done and completed in accordance with rades and Postulations of the State of Louisiana including Chanter XII of Title 51. Public
Pump down Method Gravity Method	Health - San	itary Code, ij	Health – Sanitary Code, if applicable, on: 08/28/2015 (Date)
LOCATION OF WELL:	by: SEM	SEMS Inc	(Name of Water Well Contractor),
GPS Coordinates:	License No. WWC-	13	464
Latitude: 32 33 17 "Longitude.: 93 27 51 "Parish: Bossier Parish	Authorized Signature:	Signature:	Mall D
Physical Address: Camp Minden Area I	7.	PARISH	WELLINO. GEOLOGIC UNIT
Well is Near, Camp Minden Area I Approximately 0.48	INO	1 -	ATTUDE LONGTUDE SECTION
miles from (Crossroads, Railroad, any Landmark, etc.) Intersection	asr	TOWNSHIP	8 3 1 7 8 3 2 7 5 1 EAMS RANS HEATON
of Unnamed Road and Java Road	CE I		0 2 0 3
(Attach a map or sketch or registered plat if Rig Supply with form) REMARKS: Well installed with 8.25-inch hollow stem auger. Well completed	OEE!	REGISTERED BY:	DATE
approximately 3 ft aboveground with bollards.	FOR	REMARKS:	י אטורי

LOUISIANA DEPARTMENT OF NATURAL RESOURCES OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION

Louisiana Dept. of Natural Resources Attn: Ground Water Resources

Baton Rouge, LA 70804-9275 (225) 342-8244 Ph. (225) 242-3505 Fax

P.O. Box 94275

WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S)

DRILLER'S LOG

oó

USE OF WELL (Check appropriate box):

ij

'n

4

5

□Domestic Rig Supply ⊠Monitoring □Piezometer □Recovery □Heat Pump Hole □Heat Pump Supply	FROM	10	M TO DESCRIPTION
Abandoned Pilot Hole	0	4	Silty clay, stiff, dry, reddish brown
WELL OWNER: William Poe and Associates, Inc.	4	12	Clay, soft (stiff at 10 ft bgs)
Phone: (225) 275-2152	12	14	Silty sand, reddish brown
WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA	14	16	Sand, tan to white, loose, dry
70809	16	22	Silty sand, reddish brown (wet at 21 ft bgs)
OWNER'S WELL NUMBER OR NAME: MW-2	22	24	Sandy silt, moist, red to brown
Serial Number (Rig Supply Only): NA	24	30	Silty clay (wet at 27 ft bgs)
WELL INFORMATION: Date completed: 08/18/2015			
Depth of Hole: 30 ft. below ground surface	9. FOR H	EAT PUMP ON	FOR HEAT PUMP ONLY: Avg. Depth: NA ft. # of Holes: NA
Depth of Well: 29.5 ft.	10 DOFS	THE NEW WEI	G WELL?
Static water level: 23.86 ft. below ground surface			
Date Measured: 08/21/2015	11. NAME	AE OF PERSON WHO DRILLED 1 Cory Hebert (Devonian Group)	11. NAME OF PERSON WHO DRILLED THE WELL: Cory Hebert (Devonian Group)
Meta Neta Neta	I certify that	this work was	I certify that this work was done and completed in accordance with Rules and
Length: 10 ft. Cemented from: 15.5 ft. to ground surface	Regulations	of the State of	ding Chapter XII of Title 51
OSING: A Fump bown method Ligravity method	hv. SEM	SEMS Inc	heaun - Sannary Coae, if appucable, on: 00/20/2013 (Date)
GPS Coordinates:	nse	VWC- 464	
Latitude: 32 ° 33 ' 18 " Longitude.: 93 ° 27 ' 53 "	Authorized Signature:		Well Mary Date: 8/24/
Parish: Bossier Parish	T DOZI IOMAN	mg.naran.c.	Mary Park
Physical Address: Camp Minden Area I	7.7	1 1	
Well is Near, Camp Minden Area I Approximately 0.52	NO		LATTUDE SECTION
miles from (Crossroads, Railroad, any Landmark, etc.) Intersection	as r	3 2 3	3 1 8 9 3 2 7 6 3 AMDE PARAGE FIEVATION
of Unnamed Road and Java Road	T 30		0 2 0 2
(Attach a map or sketch or registered plat if Rig Supply with form) REMARKS: Well installed with 8.25-inch hollow stem auger. Well completed	S OFFI	REGISTERED BY:	DATE:
approximately 3 ft aboveground with bollards.	EOF	REMARKS:	

miles from (Crossroads, Ra Physical Address: Camp Minder of Unnamed Road and Java Roa (Attach a map or sketch REMARKS: Well installed with Camp Mir 33 , Parish: Bossier Parish Latitude: 32 Well is Near, 7

9

LOUISIANA DEPARTIMENT OF NATURAL RESOURCES

Louisiana Dept of Natural Resources

Attn: Ground Water Resources Baton Rouge, LA 70804-9275

P.O. Box 94275

(225) 342-8244 Ph. (225) 242-3505 Fax

WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S) OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION

Heat Pump Hole

Other (please specify)

Phone: (225) 275-2152

Rig Supply

Domestic

Recovery

Relief

USE OF WELL (Check appropriate box):

i

Regulations of the State of Louisiana, including Chapter XII of Title 51, Public I certify that this work was done and completed in accordance with Rules and (Name of Water Well Contractor), Sandy silt, reddish orange, (wet at 18 ft bgs, 21 ft bgs) J □Yes ⊠No (Description and color of cuttings, such as shale, sand, etc. in feet below ground surface) Silty clay, reddish brown, stiff from 10-14 # of Holes: NA SECTION Clayey silty, dry, medium plasticity QUAD NO. 3 Silty sand, (wet at 26 ft bgs) Sandy silt (wet at 29 ft bgs) Date: DATE DATE: 08/28/2015 DESCRIPTION Clayey silt نه 10. DOES THE NEW WELL REPLACE AN EXISTING WELL? LONGITUDE ELEVATION 0 2 0 11. NAME OF PERSON WHO DRILLED THE WELL: AN Health - Sanitary Code, if applicable, on: FOR HEAT PUMP ONLY: Avg. Depth: Alex Arnaud (Devonian Group) MELL ATTITUDE 464 REGISTERED BY: INSPECTED BY: REMARKS: Authorized Signature: 2 DRILLER'S LOG 14 26 30 22 24 License No. WWC-SEMS Inc FROM 26 14 22 24 0 7 00 **EOR OFFICE USE ONLY** Approximately 0.47 ft. to ground surface Ë Intersection WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA ft. below ground surface ft. below ground surface 51 Piezometer Slot size: 0.010 Heat Pump Supply Length: 19.5 . 27 miles from (Crossroads, Railroad, any Landmark, etc.) Longitude.: 93 Monitoring Cemented from: 15.5 Other ||Metal || Plastic || Other N Pump down Method Gravity Method Abandoned Pilot Hole WELL OWNER: William Poe and Associates, Inc. approximately 3 ft aboveground with bollards.

OWNER'S WELL NUMBER OR NAME: MW-3

4

70809

ri

Serial Number (Rig Supply Only): NA

WELL INFORMATION:

5

Date completed:

Depth of Hole: Depth of Well:

08/18/2015

Plastic 08/21/2015

Metal

22.27 29.5

Static water level:

Date Measured

Casing: 2 in. Screen: 2 in.

Length: 10 Using:

Well installed with 8.25-inch hollow stem auger. Well completed (Attach a map or sketch or registered plat if Rig Supply with form) REMARKS: 1

of Unnamed Road and Java Road

Camp Minden Area

Well is Near,

Physical Address: Camp Minden Area I

Parish: Bossier Parish

33 ,

Latitude: 32 °

GPS Coordinates:

LOCATION OF WELL:

9

Louisiana Dept. of Natural Resources Attn: Ground Water Resources P.O. Box 94275 Baton Rouge, LA 70804-9275 (225) 342-8244 Ph. (225) 242-3505 Fax MAIL ORIGINAL TO:

LOUISIANA DEPARTMENT OF NATURAL RESOURCES OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S)	EPARTMENT OF NATURAL RESOURCE NSERVATION, ENVIRONMENTAL DIVISION REGISTRATION SHORT FORM (DNR-GW-1S)	RAL RES ÆNTAL DI ORM ØNR	DURCE,S Baton Rouge, LA 70804-9275 [225] 342-8244 Ph. (225) 242-3505 Fax
	8. DRILL (Descri	DRILLER'S LOG (Description and color of	DRILLER'S LOG (Description and color of cuttings, such as shale, sand, etc. in feet below ground surface)
	FROM	5	DESCRIPTION
r Fump Hole	0	4	Silty clay, medium plasticity
	4	8	Silty clay, stiff, reddish brown
2. WELL OWNER; William Poe and Associates, Inc.	88	14	Sandy silt, red to orange, loose
3. WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA	14	18	Clayey silty, low plasticity
	18	26	Sandy silty (wet at 18 ft bgs, 21 ft bgs, 26 fty bgs)
4. OWNER'S WELL NUMBER OR NAME: MW-4	26	29	Silty clay, stiff
Serial Number (Rig Supply Only): NA 5. WELL INFORMATION: 08/19/2015			
29	9. FOR I	EAT PUMP OF	FOR HEAT PUMP ONLY: Avg. Depth: NA ft. # of Holes: NA
28.5	10. DOES	THE NEW WE	10. DOES THE NEW WELL REPLACE AN EXISTING WELL? ☐Yes ⊠NO
vel: 21.91 It. below ground surface d: 08/21/2015	11. NAM	E OF PERSON \	11. NAME OF PERSON WHO DRILLED THE WELL: Cory Hebert (Devonian Group)
Casing: 2_in.	I certify that	this work wa	I certify that this work was done and completed in accordance with Rules and
# donne	Regulations Health - Sa	of the State o	Regulations of the State of Louisiana, including Chapter XII of Title 51, Public Health – Sanitary Code. if applicable, on: 08/28/2015 (Date)
6. LOCATION OF WELL:	by: SEA	SEMS Inc	(Name of Water Well Contractor),
GPS Coordinates:	License No. WWC-	4	464
	Authorized Signature:	Signature:	1001 1000 Date: \$123/13
Parish: Bossier Parish Dhuciosi Address: Camp Minden Area I	X	PARISH	WELL'NO.
Well is Near, Camp Minden Area I Approximately 0.54	INO .		LONGTUDE
miles from (Crossroads, Railroad, any Landmark, etc.) Intersection	∃S∩ .	TOWNSHIP	3 3 1 6 9 3 2 7 5 5 NAD NO.
of Unnamed Road and Java Road (Attach a map or sketch or registered plat if Rig Supply with form)	EFICE	No Grant Program	O 2 0 0
7. REMARKS: Well installed with 8.25-inch hollow stem auger. Well completed	O 8 O	INSPECTED BY: REMARKS:	
annovimately 3 ft shoved mith hollards	H	WEITING STATES	

ä

5

4

5

9

approximately 3 ft aboveground with bollards.

MAIL ORIGINAL TO: Louisiana Dept. of Natural Resources Attn: Ground Water Resources P.O. Box 94275
Baton Rouge, LA 70804-9275
(225) 342-8244 Ph.
(225) 242-3505 Fax

LOUISIANA DEPARTMENT OF NATURAL RESOURCES OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION

		WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S)	NSHORTE	ORM (DNR-	GW-IS)
ij	USE OF WELL (Check appropriate box):		8. DRILLI (Descrip	DRILLER'S LOG (Description and color of cu	DRILLER'S LOG Description and color of cuttings, such as shale, sand, etc. in feet below ground surface)
	Domestic Rig Supply N	Monitoring Piezometer	FROM	10	DESCRIPTION
	Recovery Chear Fullip Hole	Hole	0	10	Silty clay, stiff, dry
	Other (please specify)	ou so	10	16	Sandy silt, orange to red, loose
vi .	WELL OWNER: William Poe and Associates, III. Phone: (225) 275-2152	es, IIIc.	16	21	Sandy silt (wet at 17 ft bgs, 20 ft bgs)
e,	3. WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA	r Foreman Road, Baton Rouge, LA	21	27	Clayey silt, medium plasticity, orange to red
	20809				
4	OWNER'S WELL NUMBER OR NAME: MW-5	W-5			
	Serial Number (Rig Supply Only): NA				
S.	WELL INFORMATION:				
	Date completed: 08/19/2015				- 1
	Depth of Hole: 27	ft. below ground surface	9. FOR H	IEAT PUMP ON!	FOR HEAT PUMP ONLY: Avg. Depth: NA ft. # of Holes: NA
	Depth of Well: 26.5	ft.	10 DOFS	THE NEW WELL	10 DOES THE NEW WELL REPLACE AN EXISTING WELL?
	Static water level: 22.46	ft. below ground surface			
	Date Measured: 08/21/2015		11. NAME	OF PERSON W	11. NAME OF PERSON WHO DRILLED THE WELL:
	Casing: 2_in.	ic Oother Length: 16.5 ft.	I certify that	at this work was done and co	I certify that this work was done and completed in accordance with Rules and
	Length: 10 ft. Cemente	10	Regulations	of the State of	Regulations of the State of Louisiana, including Chapter XII of Title 51, Publi
	Using: 🛭 Pump down Method 🔲 Gravity Method	vity Method	Health - San	nitary Code, if	Health - Sanitary Code, if applicable, on: 08/28/2015 (Date)
9	LOCATION OF WELL:		by: SEM		(Name of Water Well Contractor),
	GPS Coordinates:		License No. WWC-	WWC- 464	11111
	Latitude: 32 ° 33 ′ 09 ″	Longitude.: 93 ° 27 ' 53 "	Authorized Signature:	Signature:	16 1:11 Date: 8/28/15
	Parish: Bossier Parish		***************************************	PARISH	WELL NO.
	Physical Address: Camp Minden Area I	Approximately 0.51	λΊΝΟ	0 † 5 LAT	LATITUDE SECTION
	om (Cros	Intersec) 3SE	TOWNSHIP	3 0 9 9 2 2 7 5 3 CUMD NO.
	of Unnamed Road and Java Road		CE 1		0
7.	(Attach a map or sketch or registered plut if Rig Supply with J REMARKS: Well installed with 8.25-inch hollow stem auger.	(Attach a map or sketch or registered plat if Rig Supply with form) Well installed with 8.25-inch hollow stem auger. Well completed	B OFFI	REGISTERED BY: INSPECTED BY:	DATE
	approximately 3 ft aboveground with bollards.	ollards.	<u>E0</u>	REMARKS:	

Title 51, Public

LOUISIANA DEPARTMENT OF NATURAL RESOURCES WATER WELL REGISTRATION SHORT FORM (DNR-GW-1S) OFFICE OF CONSERVATION, ENVIRONMENTAL DIVISION

Louisiana Dept. of Natural Resources
Attn: Ground Water Resources
P.O. Box 94275
Baton Rouge, LA 70804-9275
(225) 342-8244 Ph.
(225) 242-3505 Fax

MAIL ORIGINAL TO:

eck appropriate box):	(Descrip	(Description and color of	(Description and color of cuttings, such as shale, sand, etc. in feet below ground surface)
Domestic Rig Supply MMonitoring Prezonneter	FROM	0	DESCRIPTION
ndoned Pilot Hole	0	00	Silty clay, stiff, dry
Other (please specify)	∞	10	Silty clay, low plasticity
2. WELL OWNER, William FOR and Associates, me. Phone: (225) 275-2152	10	14	Sandy silt, tan, loose
3. WELL OWNER'S ADDRESS: 9985 Baringer Foreman Road, Baton Rouge, LA	14	16	Clayey silt, low plasticity
70809	16	26	Sandy silt (wet at 17 ft bgs, 21 ft bgs, and 26 ft bgs)
4. OWNER'S WELL NUMBER OR NAME: MW-6	26	28	Clayey silt.
Serial Number (Rig Supply Only): NA			
5. WELL INFORMATION:			
Date completed: 08/19/2015			
Depth of Hole: 28 ft. below ground surface	9. FOR I	EAT PUMP ON	FOR HEAT PUMP ONLY: Avg. Depth: NA ft. # of Holes: NA
Depth of Well: 27.5 ft.	10. DOES	THE NEW WEI	10. DOES THE NEW WELL REPLACE AN EXISTING WELL?
Static water level: 20.94 ft. below ground surface			
sured: 08/21/2015	11. NAMI	OF PERSON V lex Arnaud (De	 NAME OF PERSON WHO DRILLED THE WELL: Alex Arnaud (Devonian Group)
Casing: 2 in. Metal Plastic Other Length: 17.5 II. Screen: 2 in Metal Plastic Other Slot size: 0.010 in.	I certify that	this work wa	I certify that this work was done and completed in accordance with Rules and
ft. Cemented from: 13.5	Regulations	of the State of	Regulations of the State of Louisiana, including Chapter XII of Title 51, Publi
	health - Sur	CEMC Inc	ter Well Contra
6. LOCATION OF WELL:	License No WWC.		464
Latitude: 32 ° 33 ′ 12 " Longitude.: 93 ° 27 ′ 55 "	Authorized Signature:		111 July Date: 3/28/15
er Parish		PARISH	WIETUKO.
	77	0 1	
Well is Near, Camp Minden Area I Approximately 0.54	NO.		LONGITUDE
miles from (Crossroads, Railroad, any Landmark, etc.) Intersection	3SN	TOWNSHIP	3 3 1 2 9 3 2 7 5 5 8 RANGE ELEVATION QUAD NO.
of Unnamed Road and Java Road	3O.		0 2 0 0
(Attach a map or sketch or registered plat if Rig Supply with form) 7. REMARKS: Well installed with 8.25-inch hollow stem auger. Well completed	8 OFFI	REGISTERED BY:	DATE:
annovimately 3 ft aboveground with bollards.	103	REMARKS:	
application of the second of t			

Title 51, Public